Apec Braking Ltd

Quercus Court, Armstrong Way, Great Western Business Park, Yate, BS37 5NG

SAFETY DATA SHEET

SDS issue 3 11/09/2013



Section 1. IDENTIFICATION

1.1 PRODUCT IDENTIFIER Bentone 2H 0253/0117

1.2 RELEVANT IDENTIFIED USE OF THE SUBSTANCE OR MIXTURE AND USES ADVISED AGAINST 1.3 DETAILS OF THE SUPPLIER OF THE SDS As an Industrial Lubricant

Apec Braking Ltd Quercus Court, Armstrong Way, Great Western Business Park,

Yate, Bristol BS37 5NG

1.4 TELEPHONE NUMBER 01454 324644

e-mail: marketing@apecbraking.co.uk

Section 2 HAZARDS IDENTIFICATION

2.1 CLASSIFICATION OF THE SUBSTANCE MIXTURE
CLASSIFICATION ACCORDING TO DIRECTIVE 67/584EEC
CLASSIFICATION ACCORDING TO DIRECTIVE 1272/2008
Not Classified

(GHS/CLP)

2.2 LABEL REQUIREMNETS
HAZARD PICTOGRAMS

SIGNAL WORD N/a
HAZARD STATEMENT N/a

PRECAUTIONARY STATEMENTS

PREVENTION N/a RESPONSE. N/a STORAGE. N/a DISPOSAL N/a

Section 3 COMPOSTION/INFORMATION ON INGREDIENTS

3.2 **HAZARDOUS**

INGREDIENTS: Not Classified

Blend of blend oils with multifunctional additives

Apec Braking Ltd

Quercus Court, Armstrong Way, Great Western Business Park, Yate, BS37 5NG

SAFETY DATA SHEET

SDS issue 3 11/09/2013

Ingredients	CAS	Reach	Classification	Classification	
			67/548/EEC	Regulation (EC) No 1272/2008 [CLP]	
Blend of mineral oils	64742-52-5 64742-54-7	01-2119467170-45 01-2119484627-70	Not Classified Not classified	Not Classified Not Classified	

The Mineral oil contains less than 3 % DMSO extract as measured by IP 346.

SECTION 4 FIRST AID MEASURES

EYE CONTACT Wash out eye with plenty of water. Obtain medical attention if soreness or redness 4.1 DESCRIPTION OF FIRST AID MEASURES

persists
SKIN CONTACT: Wash skin with soap and water. If grease has been injected under the skin, seek
Medical advice immediately. INGESTION: Do not induce vomiting. Obtain medical attention

No ill effects

4.2 MOST IMPORTANT SYMPTOMS AND EFFECTS, BOTH **ACUTE AND DELAYED**

4.3 INDICATION OF IMMEDIATE MEDICAL ATTENTION AND Eye Contact: immediately washout with plenty of water SPECIAL TREATMENT NEEDED IF NECESSARY

SECTION 5 FIRE FIGHTING MEASURES

Use water Spray to cool containers. Use foam, dry chemical, carbon dioxide or suitable 5.1EXTINGUISHING MEDIA:

This product may give rise to hazardous fumes in a fire. 5.2EXPOSURE HAZARDS:

Wear self-contained breathing apparatus. 5.3 PROTECTION FOR FIRE- FIGHTERS:

SECTION 6 ACCIDENTAL RELEASE MEASURES

6.1 PERSONAL PRECAUTIONS: Refer to section 8 for personal protection details.

Do not pour grease directly into the Main drains or water course 6.2 ENVIROMENTAL PRECAUTIONS

6.3 METHODS AND MATRERAILS FOR CONTAINMENT AND

Transfer into suitable containers for recovery or disposal. CLEANING UP SPILLAGES:

SECTION 7. HANDLING AND STORAGE

Avoid direct contact with the substance 7.1 PRECAUTION FOR SAFE HANDLING:

7.2 CONDITIONS FOR SAFE

STORAGE INCLUDING ANY INCOMATIBILITIES : Store in cool well ventilated area

> 7.3 SPECIFIC END USES Industrial lubricant

SECTION 8 EXPOSURE CONTROLS/PERSONAL PROTECTION

8.1 PROTECTIVE EQUIPMENT:



HAND PROTECTION:

PVC gloves

Wear approved safety goggles EYE PROTECTION:

BODY PROTECTION: Normal work wear Not normally required RESPIRATORY PROTECTION:

Section 9 PHYSICAL AND CHEMICAL PROPERTIES

Smooth Grease PHYSICAL STATE:

> Brown COLOUR: Odourless ODOUR Neutral PH:

MELTING POINT (°C): Melts above 200

Exceed 200 FLASH POINT (PMCC) (°C) Above 200 FLAMMABILITY

No data UPPER/LOWER FLAMMABILITY RATES VAPOUR PRESSURE (MBAR@20°C) No data VAPOUR DENSITY No data

0.82-0.85 (Measured as kg/litre) RELATIVE DENSITY

SOLUBLE SOLUBILITY IN OIL Insoluble SOLUBILITY IN WATER (KG/M3): Exceeds 200 **AUTOIGNITION TEMPERTURE** No data DECOMPOSTION TEMPERTURE No data VISCOSITY

Apec Braking Ltd

Quercus Court, Armstrong Way, Great Western Business Park, Yate, BS37 5NG

SAFETY DATA SHEET

SDS issue 3 11/09/2013

STABILITY AND REACTIVITY SECTION10.

No dangerous reactions known 10.1 REACTIVITY

Stable under normal conditions 10.2 CHEMICALSTABILITY:

10.3 POSSIBILITY OF HAZARDOUS None known REACTIONS

10.4 CONDITIONS TO AVOID:

Strong oxidising agents. 10.5 MATERIALS TO AVOID:

10.6HAZARDOUS DECOMPOSITION PRODUCTS: Combustion will generate: smoke, carbon dioxide and carbon monoxide

SECTION 11. TOXICOLOGICAL INFORMATION

ACUTE TOXICITY No toxic components

CORROSIVITY/IRRITATION Non irritating to skin/eye/respiratory track

No evidence of sensitisation SENTSITISATION

REPEAT DOSE TOXICITY No evidence MUTAGENICITY No Evidence CARCINOGENCITY No evidence No Evidence REPRODUCTIVE TOXICITY

SECTION 12. ECOLOGICAL INFORMATION

12.1TOXICITY: Not Classified

12.2 PERSISTENCE & DEGRADABILITY: Only slightly biodegradable

Product is not expected to bio-accumulate 12.3BIO-ACCUMULATION POTENTIAL

Non volatile. The product is poorly absorbed onto soils or sediments. 12.4MOBILITY IN SOIL

12.5 RESULTS OF PBT OR vPvB ASSESSMENT: No present

SECTION 13. DISPOSAL RECOMMENDATIONS

Dispose in a regulated landfill site or other method for hazardous or toxic waste. Dispose of in accordance with local and national regulations. PRODUCT DISPOSAL:

Within the present knowledge of the supplier, this product is not regarded as hazardous waste, as HAZARDOUS WASTE

defined by EU Directive 91/689/EEC

SECTION 14. TRANSPORT INFORMATION

Not classified. UN CLASS:

ADR/RID - CLASS: Not classified. IMDG - CLASS: Not classified Not classified. IATA - CLASS:

15. **REGULATORY INFORMATION**

15.1 SAFETY ,HEALTH AND ENVIROMENTAL REGULATIONS/LEGISLATION SPECIFIC FOR THE SUBSTANCE OR MIXTURE Supply regulations; classified as non Hazardous under DPD/GHS/CLP criteria Transport regulations classified as non hazardous under ADR/RID/IMDG/ICAO/IATA

16. OTHER INFORMATION

PRODUCT USE: For industrial use only. Lubricant.

To the best of our knowledge, the information contained herein is accurate. Although certain hazards may be described we cannot predict that these are the only hazards, or combination of hazards, that may exist in a workplace. This MSDS, therefore, forms a component only of a risk assessment carried out by, or on behalf of, the user.